


Final Results

Test Labs
E-Mail: test@gmail.com
Telephone #: +12462577606
Address: #7 Superlative, St. George



Requests

Lab Test ID: 0000069						Priority: Routine	
National ID#/ Passport#	First Name	Last Name	Sex	Date Of Birth	Age	Referring Doctor	Telephone #
9503200074	Asa	WEITHERS	M	1995-03-20	30	Maia DRAKES	12462577606

Sample Information

Date Taken: 2026-05-13	Time Taken: 9:17:40 PM	Date Received: 2026-05-13	Time Received: 9:17:40 PM
---------------------------	---------------------------	------------------------------	------------------------------

Final Results [FBC]

Test Code	Test Name	Final Test Result	Reference Ranges
MCHC	Mean Corpuscular Hemoglobin Concentration	33.8 g/dL	: 32 - 36 g/dL
WBC	White Blood Cell Count	4.82 x 10 ⁹ /L	: 4 - 11 x 10 ⁹ /L
EOS%	Eosinophils	5.8 x 10 ⁹ /L H	: 0 - 0.5 x 10 ⁹ /L
LYM#	Lymphocytes	2.02 x 10 ⁹ /L	: 1 - 4 x 10 ⁹ /L
EOS#	Eosinophils	0.28 x 10 ⁹ /L	Option 1: 0 - 0.5 x 10 ⁹ /L
LYM%	Lymphocytes	42 x 10 ⁹ /L H	: 1 - 20 x 10 ⁹ /L
MCV	Mean Corpuscular Volume	94.8 fL	: 80 - 100 fL
PDW	Platelet Distribution Width	12.3 µmol/L L	: 20 - 50 µmol/L
MON%	Monocytes	7.9 x 10 ⁹ /L H	: 0.2 - 1 x 10 ⁹ /L
MPV	Mean Platelet Volume	8.3 fL	: 7.5 - 11.5 fL
NEU#	Neutrophils	2.06 x 10 ⁹ /L	: 1.8 - 7.5 x 10 ⁹ /L
NEU%	Neutrophils	43 x 10 ⁹ /L H	: 1.8 - 7.5 x 10 ⁹ /L
HCT	Hematocrit	38.7 % L	: 39 - 51 %
HGB	Hemoglobin	13.1 g/dL	: 13 - 17 g/dL
PCT	Plateletcrit	0.25 %	: 0.15 - 0.4 %
LIC#	Large Immature Cells	0.02 x 10 ⁹ /L	: 0 - 0.04 x 10 ⁹ /L
LIC%	Large Immature Cells	0.4 x 10 ⁹ /L H	: 0 - 0.04 x 10 ⁹ /L
BAS%	Basophils	1.3 x 10 ⁹ /L H	: 0 - 0.2 x 10 ⁹ /L
BAS#	Basophils	0.06 x 10 ⁹ /L	: 0 - 0.2 x 10 ⁹ /L
MCH	Mean Corpuscular Hemoglobin	32 pg	: 27 - 34 pg
MON#	Monocytes	0.38 x 10 ⁹ /L	: 0.2 - 1 x 10 ⁹ /L
P-LCC	Platelet Large Cell Count	63 x 10 ⁹ /L H	: 11 - 43 x 10 ⁹ /L
P-LCR	Platelet Large Cell Ratio	20.6 %	: 7 - 31 %
PLT	Platelet Count	304 x 10 ⁹ /L	: 150 - 400 x 10 ⁹ /L
RBC	Red Blood Cell Count	4.08 x 10 ¹² /L L	: 4.3 - 5.9 x 10 ¹² /L
RDW-CV	Red Cell Distribution Width-Coefficient of Variation	14.7 % H	: 11.5 - 14.5 %
RDW-SD	Red Cell Distribution Width-Standard Deviation	43.8 fL	: 39 - 46 fL
ESR	Erythrocyte Sedimentation Rate	13 mm/hr	

Validated By:
Micah GROSVENOR

---END OF LABORATORY REPORT---

Powered by [Plumrose.io](https://plumrose.io)